

Noka

Noka

Noka

Noka

full
body tiles

600X1200MM
NOKA PUNCH


NOKENTM
theTILE



Magnificent surface that perfectly suits every space



Our highly durable and versatile tiles make them suitable for indoor and outdoor use. Also, it adds magical charm in both residential and public spaces. Its fabulous designs and textures make us the most versatile choice for everyone.



Public Park and Garden



Terraces and Balconies



Driveways and Pathways





Swimming Pools and Surrounding Areas



Beach Resorts



High-traffic Industrial Areas




Xceptional surface Punch amaze everyone

Our Noka Punch has 4-punch effect surfaces that stimulates whoever feels it by touching it. Its unique and innovative punch brings outstanding charm to your ambiance. Bring it today for your magnificent space.


Noka
Punch

full
body tiles


— 600X1200MM




BRICK
PUNCH



FLUTE
PUNCH




CLOUD
PUNCH



LINER
PUNCH








NOKABRICK

The punch effect adds depth and dimension, accentuating the beauty of every shade. From subtle gradients to bold contrasts, each tile becomes a work of art. Experience innovation and creativity, redefining aesthetics with every step.

full
body tiles

600X1200MM





BRICK STEEL GREY

CATEGORY. BASIC

Noka
Punch

**full
body tiles**

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT





BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



BRICK DARK GREY

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT





FIRE
RESISTANT


NOKEN
theTILE™



BRICK
DARK GREY

FULL BODY
600X1200MM



BRICK KOTA

CATEGORY. BASIC

Noka
Punch

**full
body tiles**

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT





BACTERIA
RESISTANT



FIRE
RESISTANT


NOKENTM
theTILE



BRICK CREMOSO

CATEGORY. BASIC

Noka
Punch

**full
body tiles**

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT





BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



BRICK SUPER WHITE

CATEGORY. S. SPECIAL

Noka
Punch

**full
body tiles**

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT




BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



BRICK CHARCOL BLACK

CATEGORY. S. SPECIAL

Noka
Punch

full
body tiles

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



NOKAFLUTE

full
body tiles

600X1200MM

Embrace the artistry of design, where the elegance of vertical line textures creates a stunning visual rhythm. Each tile boasts a captivating punch of beauty, revealing a harmonious interplay of shades that elevate any environment.

FLUTE SUPER WHITE


FLUTE STEEL GREY

FLUTE DARK GREY

FLUTE CREMOSO

FLUTE KOTA

FLUTE CHARCOL BLACK



Noka
Punch

full
body tiles

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT




FIRE
RESISTANT

FLUTE
STEEL GREY

CATEGORY. BASIC




NOKEN
theTILE™



FLUTE
DARK GREY

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT




BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



FLUTE KOTA

CATEGORY. BASIC

Noka
Punch

**full
body tiles**

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT





BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



Noka
Punch

full
body tiles

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT

FLUTE
CREMOSO

CATEGORY. BASIC




NOKEN
theTILE™



FLUTE
CREMOSO

FULL BODY
600X1200MM



FLUTE SUPER WHITE

CATEGORY. S. SPECIAL

Noka
Punch

**full
body tiles**

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



FLUTE CHARCOL BLACK

CATEGORY. S. SPECIAL

Noka
Punch

full
body tiles

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT


NOKENTM
theTILE



NOKALINER

Discover the unmatched elegance of full-body tiles , where every shade tells a story, and every texture adds depth. The beauty of seamless lines and flawless finishes brings life to any space. Elevate your interiors with the timeless charm of tiles that blend art and durability.

full
body tiles

600X1200MM

LINER SUPER WHITE



LINER STEEL GREY

LINER DARK GREY

LINER CREMOSO

LINER KOTA

LINER CHARCOL BLACK



Noka
Punch

full
body tiles

600X1200MM
LINER PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT





FIRE
RESISTANT

LINER
STEEL GREY

CATEGORY. BASIC





LINER
DARK GREY

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
LINER PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT




BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



LINER CREMOSO

CATEGORY. BASIC

Noka
Punch

**full
body tiles**

600X1200MM
LINER PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT





BACTERIA
RESISTANT



FIRE
RESISTANT


NOKENTM
theTILE



LINER
KOTA

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
LINER PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT





BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



Noka
Punch

full
body tiles

600X1200MM
LINER PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT

LINER
SUPER WHITE


CATEGORY. S. SPECIAL





LINER
SUPER WHITE

FULL BODY
600X1200MM



LINER
CHARCOL BLACK

CATEGORY. S. SPECIAL

Noka
Punch

full
body tiles

600X1200MM
LINER PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



Discover the elegance of full-body tiles, where each piece reveals a symphony of shades.
From bold textures to subtle color, our tiles enhance every space with unmatched beauty.
Elevate your interiors with timeless, lasting artistry that speaks in every detail.

full
body tiles

600X1200MM

CLOUD DUSKY GREY

CLOUD DUSKY BUTTER

CLOUD SUPER WHITE


CLOUD STEEL GREY

CLOUD DARK GREY

CLOUD CREMOSO

CLOUD KOTA

CLOUD CHARCOL BLACK



CLOUD
DUSKY GREY

CATEGORY. BASIC



Noka
Punch

full
body tiles

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



CLOUD
DUSKY BUTTER

CATEGORY. BASIC



Noka
Punch

full
body tiles

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT





CLOUD
DUSKY BUTTER

FULL BODY
600X1200MM



Noka
Punch

full
body tiles

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT

CLOUD
STEEL GREY

CATEGORY. BASIC




NOKEN
theTILE™



CLOUD
DARK GREY

CATEGORY. BASIC



Noka
Punch

full
body tiles

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT





BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



CLOUD
KOTA

CATEGORY. BASIC



Noka
Punch

full
body tiles

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



CLOUD
KOTA

FULL BODY
600X1200MM



CLOUD
CREMOSO

CATEGORY. BASIC



Noka
Punch

full
body tiles

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™



CLOUD
SUPER WHITE

CATEGORY. S. SPECIAL



Noka
Punch

full
body tiles

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT





BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE



CLOUD
CHARCOL BLACK

CATEGORY. S. SPECIAL

Noka
Punch

full
body tiles

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT





BACTERIA
RESISTANT



FIRE
RESISTANT


NOKEN
theTILE™

TECHNICAL SPECIFICATIONS

CHARACTERISTICS			
DIMENSION & SURFACE QUALITY	INTERNATIONAL SPECIFICATIONS ISO 13006/EN 176 GROUP & IS 15622 : 2006	VALUE	METHOD OF TESTING
 Deviation In Length & Width	± 0.6%	± 0.1%	ISO 10545 Pt2
 Deviation In thickness	± 5%	± 3%	ISO 10545 Pt2
 Straightness of sides	± 0.5%	± 0.1%	ISO 10545 Pt2
 Rectangularity	± 0.6%	± 0.2%	ISO 10545 Pt2
 Surface Flatness	± 0.5%	± 0.2%	ISO 10545 Pt2
 Glossiness	Gloss meter	min 90% Reflection	ISO 10545 Pt2
PHYSICAL & THERMAL PROPERTIES			
 Water Absorption	< 0.5%	< 0.05%	ISO 10545 Pt3
 Mohs Hardness	> 6	8	EN 101
 Flexural Strength (Mor)	> 35N/m²	≥ 46 N/mm²	ISO 10545 Pt4
 Surface Abrasion Resistance	< 175 mm³	< 145 mm³	ISO 10545 Pt6
 Skid Resistance	> 0.4	> 0.4	ISO 10545 Pt17
 Breaking Strength	1113 N	2800 N	ISO 10545 Pt4
 Density (g/cc)	> 2	> 2.4	DIN 51082
 Frost Resistance	Frost Proof	Frost Proof	ISO 10545 Pt12
 Thermal Shock Resistance	No Damage	No Damage	ISO 10545 Pt9
 Thermal Expansion	< 9 x 10 ⁽⁻⁶⁾	< 6 X 10 ⁽⁻⁶⁾	ISO 10545 Pt8
 Moisture Expansion	Nil	Nil	ISO 10545 Pt10
CHEMICAL PROPERTIES			
 Chemical Resistance	No Damage	No Damage	ISO 10545 Pt13
 Colour Resistance	No Damage	No Damage	DIN 51094
 Stain Resistance	Resistant	Resistant	ISO 10545 Pt14

*Not applicable for glossy finishes

** These parameters are not applicable for structured punches

PACKING DETAILS

SIZE	Pcs. /Box	Weight / Box (approx.)		Coverage Area /Box
		Polished	Matt	
600x1200mm	2 pcs	27	28	15.50 ft²or 1.44 mtr²





Noken Vitrified Pvt. Ltd.

Survey No. 204 P1/P3, 205 P1,
Village, Nichi Mandal,
Morbi-halvad Highway,
Morbi - 363 642, (guj.), India.

Call.
+91 96870 19323

Mail.
info@nokenvitrified.com

Web.
www.nokenvitrified.in



Scan For Catalogue